Remodeling COSTON VALUE Report 2010-11

USTRATION BY MIKE AUSTII

www.costvsvalue.com

Denver, CO

This document contains copyrighted material and is not authorized for display on the Internet or for republication in any media for resale.



PROJECT TYPE	DENVER			MOUNTAIN			2010 NATIONAL AVERAGES		
MIDRANGE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
Attic Bedroom Remodel	\$47,954	\$34,942	72.9%	\$48,196	\$31,575	65.5%	\$51,428	\$37,142	72.2%
Backup Power Generator	13,617	6,426	47.2%	14,098	6,489	46.0%	14,718	7,136	48.5%
Basement Remodel	62,115	39,285	63.2%	61,107	42,538	69.6%	64,519	45,186	70.0%
Bathroom Addition	38,473	20,658	53.7%	38,469	19,185	49.9%	40,710	21,695	53.3%
Bathroom Remodel	16,043	10,219	63.7%	15,752	9,200	58.4%	16,634	10,668	64.1%
Deck Addition (wood)	10,721	8,046	75.1%	10,996	7,352	66.9%	10,973	7,986	72.8%
Deck Addition (composite)	15,277	10,695	70.0%	15,403	9,623	62.5%	15,620	10,337	66.2%
Entry Door Replacement (steel)	1,165	1,003	86.1%	1,165	1,197	102.8%	1,218	1,243	102.1%
Entry Door Replacement (fiberglass)	3,476	2,214	63.7%	3,476	1,981	57.0%	3,576	2,147	60.0%
Family Room Addition	79,383	56,072	70.6%	81,170	49,746	61.3%	85,740	53,624	62.5%
Garage Addition	56,753	36,424	64.2%	57,857	36,120	62.4%	60,608	35,876	59.2%
Garage Door Replacement	1,228	1,143	93.1%	1,230	970	78.8%	1,291	1,083	83.9%
Home Office Remodel	27,507	12,528	45.5%	27,955	11,574	41.4%	28,888	13,235	45.8%
Major Kitchen Remodel	56,032	41,160	73.5%	56,377	37,857	67.2%	58,367	40,126	68.7%
Master Suite Addition	100,775	75,032	74.5%	102,309	64,982	63.5%	108,090	68,146	63.0%
Minor Kitchen Remodel	21,035	16,747	79.6%	21,046	15,111	71.8%	21,695	15,790	72.8%
Roofing Replacement	17,943	11,093	61.8%	19,365	12,217	63.1%	21,488	12,780	59.5%
Siding Replacement (vinyl)	10,681	7,477	70.0%	10,776	7,304	67.8%	11,357	8,223	72.4%
Sunroom Addition	71,657	40,097	56.0%	72,471	32,525	44.9%	75,224	36,540	48.6%
Two-Story Addition	155,903	118,301	75.9%	158,394	99,004	62.5%	165,243	107,338	65.0%
Window Replacement (vinyl)	10,330	7,962	77.1%	10,510	7,177	68.3%	11,066	7,920	71.6%
Window Replacement (wood)	11,120	9,093	81.8%	11,403	8,169	71.6%	12,027	8,707	72.4%
UPSCALE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
Bathroom Addition	\$74,710	\$43,025	57.6%	\$74,984	\$38,522	51.4%	\$78,409	\$41,562	53.0%
Bathroom Remodel	52,067	32,607	62.6%	51,573	29,291	56.8%	53,759	30,738	57.2%
Deck Addition (composite)	37,673	24,823	65.9%	37,872	21,413	56.5%	38,382	22,154	57.7%
Garage Addition	84,374	50,580	59.9%	85,781	47,238	55.1%	90,053	48,278	53.6%
Garage Door Replacement	3,502	2,476	70.7%	3,504	2,310	65.9%	3,545	2,476	69.8%
Grand Entrance	7,426	4,279	57.6%	7,424	4,767	64.2%	7,700	4,979	64.7%
Major Kitchen Remodel	110,773	72,957	65.9%	111,009	65,761	59.2%	113,464	67,746	59.7%
Master Suite Addition	220,970	140,228	63.5%	223,269	119,636	53.6%	232,062	122,370	52.7%
Roofing Replacement	30,911	18,364	59.4%	33,242	18,719	56.3%	38,022	21,120	55.5%
Siding Replacement (fiber-cement)	13,149	10,213	77.7%	13,239	10,043	75.9%	13,382	10,707	80.0%
Siding Replacement (foam-backed vinyl)	13,193	9,238	70.0%	13,303	9,140	68.7%	13,973	10,119	72.4%
Window Replacement (vinyl)	13,266	10,382	78.3%	13,432	9,617	71.6%	14,284	10,368	72.6%
Window Replacement (wood)	17,105	13,708	80.1%	17,456	11,644	66.7%	18,226	12,303	67.5%

CONFIDENCE LEVEL: 95% +/-5.9



Project Descriptions

Midrange

ATTIC BEDROOM REMODEL

Convert unfinished attic space to a 15-by-15foot bedroom and a 5-by-7-foot bathroom with shower. Include a 15-foot shed dormer, four new windows, and closet space under the eaves. Insulate and finish ceiling and walls. Carpet floor. Extend existing HVAC to new space; provide electrical wiring and lighting to code. Retain existing stairs, but add rail and baluster around stairwell.

BACKUP POWER GENERATOR

Install modular electrical backup system with capacity for providing 70 amps of emergency power in two 240-volt circuits and six 120-volt circuits. Assume existing propane gas supply. Include generator mounted on 2-by-4-four-foot concrete or composite pad, automatic transfer switch, load center, exterior disconnect, and grounding rod. Include 30 feet of conduit and electrical cable for generator connections; grounded cable for circuits; 5 feet of flexible fuel line for connection to existing rigid gas supply line; and automotive-type storage battery.

BASEMENT REMODEL

Finish the lower level of a house to create a 20-by-30-foot entertaining area with wet bar and a 5-by-8-foot full bathroom; construct 24 linear feet of finished partition to enclose mechanical area. Walls and ceilings are painted drywall throughout; exterior walls are insulated; painted trim throughout. Include five six-panel factory-painted hardboard doors with passage locksets. Electrical wiring to code.

Main room: Include 15 recessed ceiling light fixtures and three surface-mounted light fixtures, and a snap-together laminate flooring system.

Bathroom: Include standard white toilet, vanity with cultured marble top, resilient vinyl flooring, two-piece fiberglass shower unit, a light/fan combination, vanity light fixture, recessed medicine cabinet, towel and paper-holder hardware. *Bar area:* Include 10 linear feet of raised-panel oak cabinets with laminate countertops, stainless steel bar sink, singlelever bar faucet, undercounter refrigerator, and vinyl floor tile.

BATHROOM ADDITION

Add a full 6-by-8-foot bathroom over a crawlspace with poured concrete walls. Include cultured-marble vanity top with molded sink; standard chrome faucets; 30-by-60-inch white fiberglass tub/shower with ceramic tile surround; single-lever temperature and pressure-balanced faucet; white low-profile toilet; general and spot lighting; electrical wiring to code; mirrored medicine cabinet; linen storage closet or cabinet; vinyl wallpaper; painted trim; and ceramic tile floor.

BATHROOM REMODEL

Update an existing 5-by-7-foot bathroom. Replace all fixtures to include 30-by-60inch porcelain-on-steel tub with 4-by-4-inch ceramic tile surround; new single-lever temperature and pressure-balanced shower control; standard white toilet; solid-surface vanity counter with integral sink; recessed medicine cabinet with light; ceramic tile floor; vinyl wallpaper.

DECK ADDITION (WOOD)

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. Install pressuretreated deck boards in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing system using pressuretreated wood posts, railings, and balusters.

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing using a matching system made of the same composite as the decking material.

ENTRY DOOR REPLACEMENT (STEEL)

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge steel unit, including clear dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brickmold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored-lock in brass or antiquebrass finish.

ENTRY DOOR REPLACEMENT (FIBERGLASS)

Remove existing 3-0/6-8 entry door and jambs and replace with new fiberglass unit with simulated wood grain, stained same color both sides; dual-pane, decorative halfglass panel with zinc caming; PVC-wrapped exterior trim in color to match existing trim; 2.5-inch interior colonial or ranch casings in hardwood stained to match door. Replace existing lockset with mortise lock with lever handle and integrated deadbolt in oil-rubbed bronze or satin-nickel finish.

FAMILY ROOM ADDITION

In a style appropriate to the existing house, add a 16-by-25-foot room on a crawlspace foundation with vinyl siding and fiberglass shingle roof. Include drywall interior with fiberglass insulation, pre-finished hardwood floor, and 180 square feet of glazing including windows, atrium-style exterior doors, and two operable skylights. Tie into existing HVAC. Add electrical system to code, including 12 recessed ceiling lights.

GARAGE ADDITION

Construct a 26-by-26-foot freestanding two-car garage, including footings and slabon-grade foundation, 2x4 wood frame with



Project Descriptions continued

OSB structural sheathing, and gable truss roof at 6/12 pitch. Install 25-year asphalt shingle roofing with galvanized metal flashing; vinyl siding and trim. Install five double-hung 30-by-48-inch vinyl windows; one 3-0/6-8 exterior door with half-glass and lockset; and two composite 9-by-8-foot overhead doors with motorized openers. Include 100-amp breaker at main house panel and 50 linear feet of trench buried conduit to feed new electrical subpanel. Provide electrical wiring for openers; three-way switching for fluorescent ceiling fixtures over each bay; three-way switching for two exterior spotlights; outlets to code. Interior wall, floors, and ceilings remain unfinished.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16-by-7-foot garage door and tracks. Install new 4-section garage door on new galvanized steel tracks; reuse existing motorized opener. New door is uninsulated, single-layer, embossed steel with two coats of baked-on paint, galvanized steel hinges, and nylon rollers; 10-year limited warranty.

HOME OFFICE REMODEL

Convert an existing 12-by-12-foot room to a home office. Install custom cabinets to include 20 linear feet of laminate desktop, computer workstation, and wall cabinet storage. Rewire room for computer, fax machine, and other electronic equipment, as well as cable and telephone lines. Include drywall interior, painted trim, and commercial-grade carpeting.

MAJOR KITCHEN REMODEL

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets, including a 3-by-5-foot island; laminate countertops; and standard double-tub stainless-steel sink with standard single-lever faucet. Include energyefficient wall oven, cooktop, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring. Finish with painted walls, trim, and ceiling.

MASTER SUITE ADDITION

Add a 24-by-16-foot master bedroom suite over a crawlspace. Include walk-in closet/ dressing area, whirlpool tub in ceramic tile platform, separate 3-by-4-foot ceramic tile shower, and double-bowl vanity with solid-surface countertop. Bedroom floor is carpet; bathroom floor is ceramic tile. Painted walls, ceiling, and trim. General and spot lighting, exhaust fan; electrical wiring to code.

MINOR KITCHEN REMODEL

In a functional but dated 200-square-foot kitchen with 30 linear feet of cabinetry and countertops, leave cabinet boxes in place but replace fronts with new raised-panel wood doors and drawers, including new hardware. Replace wall oven and cooktop with new energy-efficient models. Replace laminate countertops; install midpriced sink and faucet. Repaint trim, add wall covering, and remove and replace resilient flooring.

ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of 235-pound fiberglass asphalt shingles (min. 25-year warranty) with new felt underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof; custom flashing at two average-size skylights; and custom cap treatment at vented ridge.

SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new vinyl siding, including all trim.

SUNROOM ADDITION

Construct a 200-square-foot sunroom addition, including footings and slab-ongrade foundation. Post-and-beam framing exposed on interior side. Wall glazing: vinyl or aluminum clad awning and casement windows with low-E, laminated or tempered glazing and screens. Roof glazing: 10 large aluminum-clad venting skylights with screens. Provide ceiling fan; insulate all nonglass areas; provide movable shades for glass area. Quarry tile or equal on floor.

TWO-STORY ADDITION

Add a first-floor family room and a secondfloor bedroom with full bathroom in a 24-by-16-foot two-story wing over a crawlspace. Add new HVAC system to handle addition; electrical wiring to code. *Family room:* Include a prefabricated gas frankace: 11.2 by 5 foot double bung

fireplace; 11 3-by-5-foot double-hung insulated clad-wood windows; an atrium-style exterior door; carpeted floors; painted drywall on walls and ceiling; and painted trim. *Bathroom:* 5 by 8 feet. Include a one-piece fiberglass tub/shower unit; standard white toilet; wood vanity with solid-surface countertop; resilient vinyl flooring; and mirrored medicine cabinet with built-in light strip; papered walls; and painted trim; exhaust fan. Bedroom: Include walk-in closet/dressing area; carpet; painted walls, ceiling, and trim; general and spot lighting.

WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated vinyl replacement windows. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated wood replacement windows, exterior clad in vinyl or aluminum. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

Upscale

BATHROOM ADDITION

Add a new 100-square-foot master bathroom to existing master bedroom over a crawlspace. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding.



Project Descriptions continued

Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

BATHROOM REMODEL

Expand an existing 35-square-foot bathroom to 100 square feet within existing house footprint. Relocate all fixtures. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistatcontrolled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. At one corner, add a second, 10-foot-diameter six-sided platform one step down from the main deck. Include stairs on the smaller deck, assuming three steps to grade. Install composite deck material in a simple linear pattern. Trim the perimeter joists and wrap the 4x4 posts with composite materials to match the decking. Using the same decking material, include a built-in bench and planter along one 16-foot side. On the remaining perimeter, provide a railing system using composite material of contrasting or complementary colors that includes decorative balusters, post caps, and lighting. Railing and trim should provide for overall curb appeal to the outdoor living space by integrating the deck with the home's color and architecture, creating a custom look.

GARAGE ADDITION

For the same midrange two-car garage, add interior wall finish using moisture-resistant drywall on ceiling and three walls. At rear wall, install modular storage systems including wall panels, upper and lower storage cabinets with work surfaces, and required task lighting. Trim all windows and doors and provide base molding at perimeter; paint all trim, ceiling, and walls. Finish cement floor with color, slip-resistant epoxy sealer.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16x7-foot garage door and tracks. Install new 4-section garage door on new heavy-duty galvanized steel tracks; reuse existing motorized opener. New door is high tensile strength steel with two coats of factory-applied paint and foam insulated to minimum R-12 with thermal seals between pinch-resistant panels. Windows in top panel are ½-inch insulated glass. Hardware includes galvanized steel hinges and ball-bearing urethane rollers. Lifetime warranty.

GRAND ENTRANCE (FIBERGLASS)

Remove existing 3-0/6-8 entry door and cut and reframe opening for a 12-36-12 entrance door with dual sidelites. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative halfglass; sidelites match door. PVC-wrapped exterior trim in color to match existing trim; wider interior colonial or ranch casings (3.5-inch to cover new jack studs) in hardwood stained to match door. All work to be completed in one day.

MAJOR KITCHEN REMODEL

Update outmoded 200-square-foot kitchen with 30 linear feet of top-of-the-line custom cherry cabinets with built-in sliding shelves and other interior accessories. Include stone countertops with imported ceramic- or glasstile backsplash; built-in refrigerator, cooktop, and 36-inch commercial grade range and vent hood; built-in warming drawer, trash compactor, and built-in combination microwave and convection oven. Install high-end undermount sink with designer faucets and built-in water filtration system. Add new general and task lighting including low-voltage undercabinet lights. Install cork flooring, cherry trim.

MASTER SUITE ADDITION

Add a 32-by-20-foot master bedroom suite over a crawlspace.

Bedroom: Add a spacious sleeping area with lounging/sitting area adjacent to large master bathroom. Include custom bookcases and built-in storage with millwork details; high-end gas fireplace with stone hearth and custom mantle; and large walk-in closet/ dressing area with natural light, mirrors, and linen storage. Add French doors to exterior. Bathroom: Include a large walk-in shower with dual-shower system, stone shower walls and floor, and custom frameless glass enclosure. Add corner-design whirlpool tub bordered on two sides by windows and built into granite or marble platform with custom cabinet front. Include two sinks in separate custom vanities with stone countertops and large mirrors. Create partitioned area for luxury one-piece toilet.

General: Add 5-foot-long hospitality center with bar sink, undercounter refrigerator, custom cabinetry, granite or marble countertop, and microwave. Include soundproofing, in-floor heating, custom wall finishes and hardware, general and spot lighting, and lighting controls.

ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of standing-seam metal, formed on site into 16-inch panels using factoryenameled roll steel; double-lock all seams. Use custom brake-bent flashing from same material for drip edge and all flashing at roof-wall intersections. Assume a 5-square hip roof; custom flashing at two averagesized skylights; and custom cap treatment at vented ridge. Apply over new felt underlayment; use ice-and-water membrane at eaves, valleys, and all penetrations.



Project Descriptions continued

SIDING REPLACEMENT (FIBER-CEMENT)

Replace 1,250 square feet of existing siding with new fiber-cement siding, factory primed and factory painted. Include all 4/4 and 5/4 trim using either fiber-cement boards or cellular PVC.

SIDING REPLACEMENT (FOAM-BACKED VINYL)

Replace 1,250 square feet of existing

siding with new foam-backed vinyl siding, including factory trim at all openings and corners.

WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite vinyl windows. Simulated wood-grain interior finish; custom-color exterior finish. Trim exterior to match existing; do not disturb existing interior trim.

WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulateddivided-lite wood windows. Interior finish of stained hardwood; exterior finish of customcolor aluminum cladding. Trim exterior to match existing; do not disturb existing interior trim.

Reuse and Licensing of Data

The Remodeling 2010–11 Cost vs. Value Report ("The Report") contains copyrighted material that is being made available in free downloadable PDF documents as a public service. Any reuse without express permission is prohibited, including but not limited to the following:

- **RESALE.** Under no circumstances may The Report, whether in whole or part, be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
- **PUBLICATION OF DATA.** Data from The Report may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium without obtaining express permission.
- APPLICATIONS/SOFTWARE. None of the national, regional, or city data, whether in whole or part, may be incorporated by you or any third party for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software except as licensed by Hanley Wood (see "Obtaining Permission to Use the 2010–11 Cost vs. Value Report," below).

OBTAINING PERMISSION TO USE THE 2010-11 COST VS. VALUE REPORT

For permission to license, reprint, republish, or reuse the data, send a request via e-mail to costvsvaluepermissions@hanleywood.com, and include the following:

■ a description of the medium or media in which the data will appear (e.g., book, magazine, online story, etc.), or the application or calculator in which the data will be used. If the data will appear online, include the length of time the material will be published.

- a detailed description of the material you are seeking permission to use (specific projects,
- cities, etc.); alternatively, you may include the actual excerpt or data you are seeking permission to use.

CITATION GUIDELINES


When citing The Report as a source, refer to it as the "Remodeling 2010–11 Cost vs. Value Report" and include the URL www.costvsvalue.com, as in the following examples:

"... according to the Remodeling 2010-11 Cost vs. Value Report (www.costvsvalue.com) ..." or

"... as compiled in the Remodeling 2010-11 Cost vs. Value Report (www.costvsvalue.com)"



The 2010–11 REMODELING Cost vs. Value Report has been brought to you thanks to the following companies.















Insulation Solutions



Roofing & Asphalt, LLC









UNIQUE HOME SOLUTIONS DOESN'T JUST COME TO GE MONEY FOR MONEY. THEY COME TO US TO DELIVER THE BEST CUSTOMER EXPERIENCE.

For more than 27 years, Unique Home Solutions has prided themselves on providing high quality services and high-value products for their customers. Their goal is to ensure complete customer satisfaction. GE Money, a division of GE Capital, shares this goal and helps businesses like Unique Home Solutions grow. To learn more, call 1-866-209-4457.

GE Money is invested in Unique Home Solutions.



) imagination at work

gemoney.com

DURABLE PRODUCTS. BEAUTIFUL COLORS. COMPLETE SOLUTION.

When you sell James Hardie® products, you're delivering what homeowners want – a beautiful, low maintenance home without sacrifice. James Hardie® siding with ColorPlus® Technology offers your customers superior protection and the #1 return on investment. Come grow your business with America's largest siding manufacturer.

Grow your business at RemodelWithJH.com

JamesHardie

Express your vision from the floor up!







The **BEST** Selection of hardwood flooring. Our Commercial Sales Team is ready to help you, your contractors and your customers with any project.





BUILDER, CONTRACTOR & REMODELER SALES

We can provide low prices, product-specific expertise, spec sheets, samples & more. Call 800-274-2360 or email: llwholesale@lumberliquidators.com.



©2010 Marvin Windows and Doors. All rights reserved. ®Registered trademark of Marvin Windows and Doors

To build this collection, we went to the best suggestion box of all. Your job site.

Meet the New Marvin® Ultimate Casement Collection

The Ultimate Casement Collection is an innovative line inspired by your suggestions. We've developed operating sizes as large as 40" x 92", full-frame and insert application options and revolutionary hardware for the widest open views and unrivaled performance. All that combined with an exclusive wash mode for easy cleaning from the interior makes this new collection truly ultimate.

Visit marvin.com or call 1.800-241-9450



EXPLODE YOUR BUSINESS WITH THE BASEMENT FINISHING SYSTEM

What you have:

- Dedicated Sales Staff
- Good Standing with the BBB
- All Required State and Local Licenses
- Good Professional Reputation
- Remodeling Background

WWW.800BASEMENT.COM

What we offer:

- Exclusive Territories
- Innovative Product with Proven Success
- Backing of a FORTUNE 500 Company

THE PINK PANTHER™ & ©1964–2010 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved.

- Industry Leading Marketing Toolbox
- Robust Launch and Start-up

Here's your chance to be part of a cutting-edge company and an elite network of speciality remodelers. With that comes some BIG ADVANTAGES:

Power of the Brand - Owens Corning is a name people know and trust for quality building products. Franchisees have the power of the Owens Corning brand and the trusted presence of the Pink Panther[™] working with them everyday.

World Class Support - With one of the top in-home sales trainers in the country, Owens Corning has developed a best in class field training program, which is not matched by any other manufacturer.

Lead Generation- Get a broad collection of standard and customizable sales and marketing tools which include online collateral design and mailing, lead generation services, financing and measuring systems.

-877-31



For contractors, it's an ATM.

The Owens Corning AttiCat[®] Expanding Blown-In Insulation machine is a way to help you get more revenue out of any home improvement project. Today's homeowner is looking for a fast, affordable way to save on energy costs. With as many as 40 million under-insulated homes in the U.S.^{**}, adding insulation is a huge opportunity. It's money in the bank for homeowners and bigger profits for you.

Go to www.owenscorning.com/atticat or call I-877-658-6362 to find out more.



* http://www.energystar.gov/index.crm?c=home_sealing.hm_improvement_methodology ** http://www.naima.org/pages/benefits/publichealth/publichealth.html THE PINK PANTHER™ & © 1964–2010 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. ©2010 Owens Corning.



The Duration[®] Series Shingles Designer Colors Collection.

Your customers want more color on their houses. And color is just what they'll get with our Designer Colors Collection. Five captivating combinations, each uniquely designed to enhance a home's beauty and appearance. It's our impression of the perfect sales opportunity.

For more information and a closer look at these exciting colors, visit designercolorscollection.com



Owens Corning Roofing & Asphalt, LLC. Printed in U.S.A. THE PINK PANTHER" & © 1964–2010 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. ©2010 Owens Corning.

GO CORDLESS WITHOUT

BOSTICH

Introducing the World's First Cordless 28° Wire-Weld Framing Nailer

The **Bostitch**[®] Cordless Framing Nailer delivers exactly what pros asked for... the freedom of a cordless nailer combined with the ability to drive full round head wire-weld nails. It can also drive wire-weld clipped head nails without any conversion required for an added level of versatility.

Choose the brand that pros have counted on for nearly half a century ... choose **Bostitch**[®] Cordless Framing Nailers.

BOSTITCH

www.bostitch.com

© 2010 Stanley Black & Decker, Inc.





herma-Tru berglass Doors



Therma-Tru_® Fiberglass Doors

 AccuGrain™ technology - patented approach to real wood grain appearance with all the advantages of Therma-Tru fiberglass



- Won't crack, split or rot like wood; or dent, chip or rust like steel
- Delivers a better long-term return on investment than either wood or steel through proven features that provide improved security, longlasting performance, lower maintenance and a look that will last
- Engineered for years of trouble-free performance
- Offers a range of styles, sizes, glass designs, sidelites and transoms







You want sustainability? We've got it.

The Inside Advantage[™] team presents an easy way to integrate sustainability: the Whirlpool[®] Eco-Efficient Kitchen, featuring the industry's most energyefficient side-by-side refrigerator, a water-saving dishwasher and two energy-saving cooking appliances. **insideadvantage.com**



@Registered trademark//TM Trademark of Whirlpool, U.S.A., KitchenAid, U.S.A. Jenn-Air, U.S.A. or Maytag Corporation or its related companies. ©2010. All rights reserved. All other trademarks are owned by their respective companies.